Index to Volume 77

The Journal of Heredity, 1986

Abnormal bone production associated with mutant mouse genes *pa* and *we*, R. J. Graff, D. Simmons, J. Meyer, D. Martin-Morgan, and M. Kurtz, 109.
Acquisition of incompatibility by inbred wild-type stocks of *Mormoniella*, G. W. Conner and G. B. Saul, 2nd, 211.
Alam, T. M., et al., Electrophoretic characterization of *Hyalella montezuma*: an endemic filter feeding amphipod, 284.
Allard, R. W. and Q. Zhang, Sampling variance of the genetic diversity index, 54.
Allendorf, F. W., Current isozyme research (Rev.), 140.
Allendorf, F. W., et al., Gene-centromere mapping of 25 loci in rainbow trout, 307.
Allozyme variation, linkage, and duplication in the perennial grass *Cynosurus cristatus*, R. A. Ennos, 61.
Alsheikh, S. N., et al., Precise location of breakpoints in a frequent reciprocal translocation between chromosomes 11 and 22, 63.
Amundson, S., et al., Mutant allele frequencies in cats of Minneapolis-St. Paul, 132.
Anderson, N. O. and B. E. Liedl, SIGMAS-1: a software program for self-incompatibility genetic modeling, 480.
Aneuploid seedlings derived from pentaploid *Vaccinium australe* × *V. ashei* hybrids, N. Vorsa, G. Jelenkovic, A. D. Draper, and W. V. Welker, 114.

Animal Genetics

Boophilus: linkage relationships among 12 enzyme loci in cattle fever ticks, 119.
Bracon hebetor: antennapedia, a homoeotic mutation, 58.
Cats: hereditary meningoencephalocele in Burmese, 60; mutant allele frequencies of Minneapolis-St. Paul, 132; mutant allele frequencies in domestic of Taiwan, 277; chromosomal mapping of beta-globin and albino loci in the domestic: a conserved mammalian chromosome group, 374; mutant allele frequencies in the population of Omaha, Nebraska, 460; sex-linked black fallacy: a textbook case, 463.
Cattle: gene map of the cow: conservation of linkage with mouse and man, 2; new C-band polymorphism in the White Park of Great Britain, 366.
Cochliomyia hominivorax: genetics of the screwworm fly: characterization of three eye mutants, 420; screwworm fly: polytene chromosomes, karyotype correlations, and population cytology of the primary *C. hominivorax*, 427.
Dog: new type of Robertsonian translocation in the domestic, 127.
Drosophila: study of lethals in selection lines in *D. melanogaster*, 31; quantitative wing variation in inbred and outbred lines of *D. melanogaster*, 267; gene arrangements of *D. persimilis* of Southern California, 313; desiccation resistance in two species, 359; half-chromosome viability and synthetic lethality in *D. melanogaster*, 385.
Fish: inheritance of Q band chromosomal polymorphisms in lake trout, 93; size polymorphism and heteroplasmy in the mitochondrial DNA of lower vertebrates, 249; gene-centrome mapping of 25 loci in rainbow trout, 307; chromosomal analysis of insecticide resistant and susceptible mosquitofish, 345; gene mapping of isozyme loci in chum salmon, 399.
Fowl: gene mapping in chicken-Chinese hamster somatic cell hybrids: serum albumin and phosphoglucomutase-2 structural genes on chicken chromosome 6, 106; pop-eye: an inherited Z-linked keratoglobus in the chicken, 123; heterochromatin staining pattern of quail-chicken hybrid lymphocytes, 216; faded shaker, a lethal pigment and neurological mutation in the chicken 295; chicken developmental antigens in 151_5-*B*-congenic lines, 435.
Frogs: genetic and developmental studies of albino chorus, 164; size polymorphism and heteroplasmy in the mitochondrial DNA of lower vertebrates, 249.
Gerbil: linkage of albino and pink-eyed dilution genes in Mongolian and other rodents, 207.
Hamster: gene mapping in chicken-Chinese hamster somatic cell hybrids: serum albumin and phosphoglucomutase-2 structural genes on chicken chromosome 6, 106.
Honeybees: sterility caused by dimethyl sulfoxide, 129.
Hyalella montezuma: electrophoretic characterization: an endemic filter feeding amphipod, 284.
Hymenoptera: maximum likelihood estimates of gene frequencies, 208.
Leafmining fly: an X-linked phosphoglucomutase locus, 209.
Lizards: clonal inheritance in parthenogenetic whiptail: biochemical evidence, 8.
Mice: gene map of the cow: conservation of linkage with mouse and man, 2; genes that affect morphogenesis of murine mandible: recombinant-inbred strain analysis, 17; embryonic characteristics in superovulated strains: comparative analyses of the incidence of chromosomal aberrations, morphological malformations, and mortality of embryos from two strains of superovulated mice, 39; selective breeding for variations in patterns of mystacial vibrissae: bilaterally symmetrical strains derived from ICR stock, 66; abnormal bone production associated with mutant genes *pa* and *we*, 109; spontaneous occurrence of XYY primary spermatocytes in the Sitka deer, 131; single gene inheritance of occurrence of head spots, 136; prenatal determination of obesity, tumor susceptibility, and coat color pattern in viable yellow (A^{vy}/A) mice: the yellow mouse syndrome, 151; new mutation at the *cmd* locus, 205; wild-derived Robertsonian translocation: chromosome 17, *Rb(16:17)7*, show novel interactions with *t*-alleles, 290; dopachrome conversion and dopa oxidase activities in recessive yellow: catalytic activities of extracts from pheomelanic and eumelanic tissues, 337; a model for Niemann-Pick disease: influence of genetic background on disease expression in *spm/spm*, 379.
Mormoniella: acquisition of incompatibility by inbred wild-type stocks, 211.
Mosquitoes: cytogenetic and isozyme profile of *Sabethes cyaneus:* a mosquito of the neotropical canopy, 241; breakpoint distribution in male-linked translocation in *An. stephensi* Liston, 394.
Moth: isozyme polymorphism in the sunflower, 101.
Pyrrhocoris apterus: inheritance of wing form, 465.
Rats: linkage of genes for ectopic testes and male pseudohermaphroditism, 57; inheritance of dermatoglyphic configurations, 169; epileptic seizures in homozygous for two mutations, zitter and tremor, 441.
Rodents: linkage of albino and pink-eyed dilution genes in Mongolian gerbil and others, 207.
Shrew: trimeric esterase in the common, 121.
Swine: inheritance of a new bleeding disease in a herd with Willebrand's disease, 179.
Tetrahymena thermophila: dominant mutations regulating i-antigen expression, 202.
Toads: four independent electrophoretic markers in spadefoot, 410.
Tribolium castaneum: chromosome rearrangement, 451.

Antennapedia, a homoeotic mutation of *Bracon hebetor*, A.-M. Light, R. M. Petters, and B. D. Loucas, 58.
Antimorphic alleles with various strengths at the *Su* and *Yg* loci of tobacco: marker genes used separately in plant physiology and radiation genetics are different semidominant forms at the same loci, H. L. Dulieu, 301.
Arulsekar, S., et al.: Genetics of malate dehydrogenase isozymes in the peach, 49; Inheritance of phosphoglucomutase and esterase isozyme in Persian walnut, 220; Comparison of isozyme variability in peach and almond cultivars, 272.
Atherly, A. G., et al., Chloroplast DNA variation in the genus *Glycine* subgenus *Soja*, 26.
Auer, H., et al., A new type of Robertsonian translocation in the domestic dog, 127.
Avise, J. C., et al., Size polymorphism and heteroplasmy in the mitochondrial DNA of lower vertebrates, 249.
Ayala, F. J., On the virtues and pitfalls of the molecular evolutionary clock, 226.

Babu, K. A., et al., Precise location of breakpoints in a frequent reciprocal translocation between chromosomes 11 and 22, 63.
Bacon, L. D., et al., Chicken developmental antigens in $15I_5$-*B*-congenic lines, 435.
Bailey, D. W., Genes that affect morphogenesis of the murine mandible: recombinant-inbred strain analysis, 17.
BASIC programs to determine genotypic structure of autopolyploid progeny populations, A. R. McElroy and R. Bhargava, 479.
Beckman, T., et al., N banding and karyotype analysis of *Lens culinaris*, 473.
Beeman, R. W., et al., Chromosome rearrangements in *Tribolium castaneum*, 451.
Bell, L., et al., A new mutation at the *cmd* locus in the mouse, 205.
Beregovoy, V. H. and D. S. Gill, Isozyme polymorphism in the sunflower moth, 101.
Beres, W., et al., Genetics of malate dehydrogenase isozymes in the peach, 49.
Bermingham, E., et al., Size polymorphism and heteroplasmy in the mitochondrial DNA of lower vertebrates, 249.
Bhargava R. and A. R. McElroy, BASIC programs to determine genotypic structure of autopolyploid progeny population, 479.
Bingham, E. T., et al., Transmission of chlorophyll deficiencies in *Medicago sativa:* evidence for biparental inheritance of plastids, 35.
Bitgood, J. J. and R. D. Whitley, Pop-eye: an inherited Z-linked heratoglobus in the chicken, 123.
Blanco, A., et al., Intergeneric wheat × barley hybrid, 98.
Blinn, D. W., et al., Electrophoretic characterization of *Hyalella montezuma:* an endemic filter feeding amphipod, 284.

Books reviewed

Chromosomes Today, Volume 8. M. D. Bennett, A. Gropp, and U. Wolf, Eds., 140.
Evolutionary Biology, Volume 17. Max K. Hecht, Bruce Wallace, and Ghillean T. Prance, Eds., 142.
Evolutionary Biology, Volume 18. Max K. Hecht, Bruce Wallace, and Ghillean T. Prance, Eds., 143.
Evolutionary Theory, Jeffrey W. Pollard, Ed., 140.
Evolution from Molecules to Men, D. S. Bendall, Ed., 139.
Genetics of Populations, Philip W. Hedrick, 141.
In the Name of Eugenics: Genetics and the Uses of Human Heredity, Daniel J. Kevles, 287.
Isozyme: Current Topics in Biological and Medical Research, Volume 12. M. C. Rattazzi, J. G. Scandalios, and G. S. Whitt, Eds., 140.
Medical Genetics, Past, Present, and Future, K. Berg Ed., 139.

Borodin, P. and A. Ruvinsky, Dimitri Konstantinovitch Belyaev: 1917–1985, 370.
Bowie, E. J. W., et al., Inheritance of a new bleeding disease in a herd of swine with Willebrand's disease, 179.
Breakpoints distribution in male-linked translocation in *Anopheles stephensi* Liston, A. S. Robinson, C. Malcolm, P. Groenestijn, and G. Schelling, 394.
Broad spectrum biotic, R. B. Eckhardt (Rev.), 139.
Brown, A. H. D., et al., Cytogenetic affinity between the new species *Glycine argyrea* and its congeners, 423.
Burns, J. A. and S. M. Reed, Cross-restoration between *Nicotiana* cytoplasmic male-sterile and restored lines, 159.
Burton, G. W. and W. W. Hanna, Cytogenetics and breeding behavior of an apomictic triploid in bahiagrass, 457.
Burton, G. W., et al., Long-term storage of pearl millet pollen, 361.
Butler, M. G., et al., N banding and karyotype analysis of *Lens culinaris*, 473.

Campbell, L. B., et al., Characteristics of duplications and deficiencies from chromosome translocations in *Gossypium hirsutum*, 189.
Characteristics of duplications and deficiencies from chromosome translocations in *Gossypium hirsutum*, M. Y. Menzel, C. A. Hasenkampf, B. J. Dougherty, K. L. Richmond, and L. B. Campbell, 189.
Charmley, P., et al., Relationships between performance and multilocus heterozygosity at enzyme loci in single-cross hybrids of maize, 341.
Chiang, Y. C. and Y. T. Kiang, Genetic linkage of a leucine aminopeptidase locus with the Kunitz trypsin inhibitor locus in soybeans, 128.
Chicken developmental antigens in $15I_5$-*B*-congenic lines, M. A. Qureshi, K. A. Trembicki, R. R. Dietert, and L. D. Bacon, 435.
Chloroplast DNA variation in the genus *Glycine* subgenus *Soja*, R. C. Shoemaker, P. M. Hatfield, R. G. Palmer, and A. G. Atherly, 26.
Chromosomal analysis of insecticide resistant and susceptible mosquitofish, D. Wise, J. D. Yarbrough, and R. T. Roush, 345.
Chromosomal mapping of beta-globin and albino loci in the domestic cat: a conserved mammalian chromosome group, S. J. O'Brien, M. E. Haskins, C. A. Winkler, W. G. Nash, and D. F. Patterson, 374.
Chromosomal, reproductive, and breeding behavior of *Eremochloa ciliaris* (L) Merr. W. W. Hanna and H. Shu-Liang, 52.
Chromosome rearrangements in *Tribolium castaneum*, R. W. Beeman, T. R. Johnson, and S. M. Nanis, 451.
Chu, K., Mutant allele frequencies in domestic cats of Taiwan, 277.
Clark, J. K. and W. F. Sheridan, Developmental profiles of the maize embryo-lethal mutants *dek22* and *dek23*, 83.
Clonal inheritance in parthenogenetic whiptail lizards: biochemical evidence, H. C. Dessauer and C. J. Cole, 8.
Coe, Jr., E. H. and E. D. Styles, Unstable expression of an *R* allele with *a3*: a recessive intensifier of plant color in maize, 389.
Cole, C. J. and H. C. Dessauer, Clonal inheritance in parthenogenetic whiptail lizards: biochemical evidence, 8.

Commentary

Eugenics and Human Heredity, 481.
Reply from A. C. Fabergé, 482.

Comparison of isozyme variability in peach and almond cultivars, S. Arulsekar, D. E. Parfitt, and D. E. Kester, 272.

Computer Programs

BASIC programs to determine genotypic structure of autopolyploid progeny populations, 479.
SIGMAS-1: a software program for self-incompatibility genetic modeling, 480.
Software package for record-keeping and analysis of a breeding mouse colony, 479.
Update on the stability-variance parameter program, 480.

Conner, G. W. and G. B. Saul, 2nd, Acquisition of incompatibility by inbred wild-type stocks of *Mormoniella*, 211.
Corcos, A. and F. Monaghan, Chi-square and Mendel's experiments, where is the bias? Correction, 283; Tschermak, a nondiscoverer of Mendelism: I. An historical note, 468.
Corn, P. S., Genetic and developmental studies of albino chorus frogs, 164.
Corrigendum: Chi-square and Mendel's experiments, where is the bias? 283.
Cross-restoration between *Nicotiana* cytoplasmic male-sterile and restored lines, S. M. Reed and J. A. Burns, 159.
Cuevas, E. M. and D. B. Taylor, Genetics of the screwworm fly: characterization of three eye mutants, 420.
Current isozyme research, F. W. Allendorf (Rev.), 140.
Curtsinger, J. W., Quantitative wing variation in inbred and outbred lines of *Drosophila melanogaster*, 267.
Cytogenetic affinity between the new species *Glycine argyrea* and its congeners, J. E. Grant, R. Pullen, A. H. D. Brown, J. P. Grace, and P. M. Gresshoff, 423.
Cytogenetic and isozyme profile of *Sabethes cyaneus:* a mosquito of the neotropical canopy, L. E. Munstermann and A. Marchi, 241.
Cytogenetics and breeding behavior of an apomictic triploid in bahiagrass, W. W. Hanna and G. W. Burton, 457.

Davey, R. B., et al., Linkage relationships among 12 enzyme loci in cattle fever ticks of the genus *Boophilus*, 119.
Davidson, J. K. and H. M. Stace, Genetics of self-incompatibility in *Calotis cuneifolia*, 471.
Davis, T. M., et al., Early identification of chlorophyll deficiency heterozygotes in large-seeded legumes, 475.
Delool, R. A. H. and R. A. E. Tilney-Bassett, Germinal reversion in three variegated-leaf mutants of *Antirrhinum majus* L., 236.
Description and inheritance of new genes in red clover, W. A. Parrott and R. R. Smith, 355.
Desiccation resistance in two species of *Drosophila*, L. Levine, R. F. Rockwell, and M. J. Laverde, 359.
Dessauer, H. C. and C. J. Cole, Clonal inheritance in parthenogenetic whiptail lizards: biochemical evidence, 8.
Developmental profiles of the maize embryo-lethal mutants *dek22* and *dek23*, J. K. Clark and W. F. Sheridan, 83.
Dev, V., et al., Polytene chromosomes, karyotype correlations, and population cytology of the primary screwworm fly, 427.
Dietert, R. R., et al.: Heterochromatin staining pattern of quail-chicken hybrid lymphocytes,

216; Chicken developmental antigens in $15I_5$-*B*-congenic lines, 435.
Dimitri Konstantinovitch Belyaev: 1917–1985, P. Borodin and A. Ruvinsky, 370.
Dim look at the past, present, and future, R. B. Eckhardt (Rev.), 140.
Documenting eugenics and human genetics, A. C. Fabergé (Rev.), 287.
Doerder, F. P. Dominant mutations regulating i-antigen expression in *Tetrahymena thermophila*, 202.
Dominant mutations regulating i-antigen expression in *Tetrahymena thermophila*, F. P. Doerder, 202.
Doolittle, D. P. and J. Wildman, Single gene inheritance of occurrence of head spots in mice, 136.
Dopachrome conversion and dopa oxidase activities in recessive yellow mice: catalytic activities of extracts from pheomelanic and eumelanic tissues, M. L. Lamoreux, 337.
Dörfl, J., et al., Selective breeding for variations in patterns of mystacial vibrissae of mice: bilaterally symmetrical strains derived from ICR stock, 66.
Dougherty, B. J., et al., Characteristics of duplications and deficiencies from chromosome translocations in *Gossypium hirsutum*, 189.
Draper, A. D., et al., Aneuploid seedlings derived from pentaploid *Vaccinium australe* × *V. ashei* hybrids, 114.
Drosophila of Southern California: III. Gene arrangements of *D. persimilis*, B. C. Moore and C. E. Taylor, 313.
Dulieu, H. L., Antimorphic alleles with various strengths at the *Su* and *Yg* loci of tobacco: marker genes used separately in plant physiology and radiation genetics are different semidominant forms at the same loci, 301.
Duplicate pollen-sterile locus ms_8 and linkage group V of *Gossypium hirsutum*, C. L. Rhyne, D. M. Rhyne, and M. Y. Menzel, 332.

Early example of a viable hybrid from a cross of *Gossypium barbadense* L. and *G. Davidsonii*, Kell., J. A. Lee, 56.
Early identification of chlorophyll deficiency heterozygotes in large-seeded legumes, T. M. Davis, J. D. Ehlers, and Y.-T. Kiang, 475.
Eckhardt, R. B.: Broad spectrum biotic (Rev.), 139; A dim look at the past, present, and future (Rev.), 140; Evolutionary biology, volume 17 (Rev.), 142; Evolutionary biology, volume 18 (Rev.), 143.
Edaphic races of *Gaillardia pulchella* in central Texas, J. S. Heywood, 146.
Edwards, A. W. F., More on the too-good-to-be-true paradox and Gregor Mendel, 138.
Ehlers, J. D., et al., Early identification of chlorophyll deficiency heterozygotes in large-seeded legumes, 475.
Electrophoretic characterization of *Hyalella montezuma:* an endemic filter feeding amphipod, D. S. English, T. M. Alam, and D. W. Blinn, 284.
Embryonic characteristics in superovulated mouse strains: comparative analyses of the incidence of chromosomal aberrations, morphological malformations, and mortality of embryos from two strains of superovulated mice, D. C. Luckett and A. B. Mukherjee, 39.
English, D. S., et al., Electrophoretic characterization of *Hyalella montezuma:* an endemic filter feeding amphipod, 284.
Ennos, R. A., Allozyme variation, linkage, and duplication in the perennial grass *Cynosurus cristatus*, 61.
Enomoto, H., et al., A mouse model for Niemann-Pick disease: influence of genetic background on disease expression in *spm/spm* mice, 379.
Enzyme polymorphism in *Musa acuminata* Colla., R. L. Jarret and R. E. Litz, 183.
Epileptic seizures in rats homozygous for two mutations, zitter and tremor, T. Serikawa and J. Yamada, 441.
Erickson, R. P. and E. R. Sánchez, Wild-derived Robertsonian translocation in mice: chromosome 17, *Rb(16:17)7*, show novel interactions with *t*-alleles, 290.
Eshbaugh, W. H., et al., Genetics of GOT in *Capsicum*, 469.
Estimating the degree of sperm precedence in laboratory mating experiments: a maximum likelihood method, D. W. Foltz and D. P. Pashley, 477.
Eugenics and human heredity (Commentary), D. L. Nanney, 481.
Evolutionary biology, volume 17, R. B. Eckhardt (Rev.), 142.
Evolutionary biology, volume 18, R. B. Eckhardt (Rev.), 143.

Fabergé, A. C.: Documenting eugenics and human genetics (Rev.), 287; Reply from A. C. Fabergé (Commentary), 482.
Faded shaker, a lethal pigment and neurological mutation in the chicken, F. G. Silversides and J. R. Smyth, Jr., 295.
Fass, D. N., et al., Inheritance of a new bleeding disease in a herd of swine with Willebrand's disease, 179.
Favorable linkage combination in the soybean, T. C. Kilen, 275.
Fertility improvement in induced tetraploid *Theobroma cacao*, V. A. Martinson, 279.
Foltz, D. W. and D. P. Pashley, Estimating the degree of sperm precedence in laboratory mating experiments: a maximum likelihood method, 477.
Four independent electrophoretic markers in spadefoot toads, M. A. Simovich and C. A. Sassaman, 410.
Fracchiolla, G. V., et al., Intergeneric wheat × barley hybrid, 98.
Fulton, R. W., et al., Transmission of chlorophyll deficiencies in *Medicago sativa:* evidence for biparental inheritance of plastids, 35.

Galbraith, D. B., et al., Prenatal determination of obesity, tumor susceptibility, and coat color pattern in viable yellow (A^{vy}/a) mice: the yellow mouse syndrome, 151.
Gene-centromere mapping of 25 loci in rainbow trout, F. W. Allendorf, J. E. Seeb, K. L. Knudsen, G. H. Thorgaard, and R. F. Leary, 307.
Gene map of the cow: conservation of linkage with mouse and man, J. E. Womack and Y. D. Moll, 2.
Gene mapping in chicken-Chinese hamster somatic cell hybrids: serum albumin and phosphoglucomutase-2 structural genes on chicken chromosome 6, D. K. Palmer and C. Jones, 106.
Gene mapping of isozyme loci in chum salmon, J. E. Seeb and L. W. Seeb, 399.

General Genetics

Chi-square and Mendel's experiments, where is the bias?, Correction, 283.
Dimitri Konstantinovitch Belyaev: 1917–1985, 370.
Estimating the degree of sperm precedence in laboratory mating experiments: a maximum likelihood method, 477.
Genetic associate: a career option in genetic counseling, 175.
More on the too-good-to-be-true paradox and Gregor Mendel, 138.
More on the too-good-to-be-true and Gregor Mendel, Rebuttal, 138.
On the virtues and pitfalls of the molecular evolutionary clock, 226.
Population dynamics of mutant alleles under maternal effect in plant populations, 256.
Sampling variance of the genetic diversity index, 54.
Solution to the too-good-to-be-true paradox and Gregor Mendel, 218.
Tschermak: a nondiscoverer of Mendelism: I. An historical note, 468.
What about R. A. Fisher's statement of the "too good" data of J. G. Mendel's Pisum paper?, 281.

Genes affecting foliage color in watermelon, B. B. Rhodes, 134.
Genes for intense fruit pigmentation of squash, H. S. Paris and H. Nerson, 403.
Genes that affect morphogenesis of the murine mandible: recombinant-inbred strain analysis, D. W. Bailey, 17.
Genetic and developmental studies of albino chorus frogs, P. S. Corn, 164.
Genetic associate: a career option in genetic counseling, T. R. Mertens, J. R. Hendrix, and K. M. Kenkel, 175.
Genetic linkage of a leucine aminopeptidase locus with the Kunitz trypsin inhibitor locus in soybeans, Y. T. Kiang and Y. C. Chiang, 128.
Genetics of foliar variegation in coleus, R. J. Lebowitz and R. H. Kloth, 125.
Genetics of GOT in *Capsicum*, M. J. McLeod, S. I. Guttman, and W. H. Eshbaugh, 469.
Genetics of malate dehydrogenase isozymes in the peach, S. Arulsekar, D. E. Parfitt, W. Beres, and P. E. Hansche, 49.
Genetics of self-incompatibility in *Calotis cuneifolia*, J. K. Davidson and H. M. Stace, 471.
Genetics of the screwworm fly: characterization of three eye mutants, D. B. Taylor and E. M. Cuevas, 420.
Genetic variation and phylogenies detected from isozyme markers in species of *Lactuca*, R. V. Kesseli and R. W. Michelmore, 324.
Germinal reversion in three variegated-leaf mutants of *Antirrhinum majus* L., R. A. H. Delool and R. A. E. Tilney-Bassett, 236.
Giegel, D. A., et al., Relationships between performance and multilocus heterozygosity at enzyme loci in single-cross hybrids of maize, 341.
Gill, B. S. and A. L. Rayburn, Molecular identification of the D-genome chromosomes of wheat, 253.
Gill, B. S. et al.: Origin of chromosomal and phenotypic variation in potato protoclones, 13; Wheat-rye translocations: detection of chromosome breakpoints by in situ hybridization with a biotin-labeled DNA probe, 415.
Gill, D. S. and V. H. Beregovoy, Isozyme polymorphism in the sunflower moth, 101.

Grace, J. P., et al., Cytogenetic affinity between the new species *Glycine argyrea* and its congeners, 423.
Graff, R. J., et al., Abnormal bone production associated with mutant mouse genes *pa* and *we*, 109.
Graf-Webster, E. and D. P. Sponenberg, Hereditary meningoencephalocele in Burmese cats, 60.
Grant, J. E., et al., Cytogenetic affinity between the new species *Glycine argyrea* and its congeners, 423.
Greco, B., et al., Intergeneric wheat × barley hybrid, 98.
Greenbaum, I. F. and D. W. Hale, Spontaneous occurrence of XYY primary spermatocytes in the Sitka deer mouse, 131.
Greenfield, C. L., et al., Heterochromatin staining pattern of quail-chicken hybrid lymphocytes, 216.
Gresshoff, P. M., et al., Cytogenetic affinity between the new species *Glycine argyrea* and its congeners, 423.
Groenestijn, P., et al., Breakpoint distribution in male-linked translocations in *Anophe'es stephensi* Liston, 394.
Gumbreck, L. G. and A. J. Stanley, Linkage of genes for ectopic testes and male pseudohermaphroditism in the rat, 57.
Guttman, S. I., et al., Genetics of GOT in *Capsicum*, 469.

Hale, D. W. and I. F. Greenbaum, Spontaneous occurrence of XYY primary spermatocytes in the Sitka deer mouse, 131.
Half-chromosome viability and synthetic lethality in *Drosophila melanogaster*, V. Thompson, 385.
Hallauer, A. R., et al., Relationships between performance and multilocus heterozygosity at enzyme loci in single-cross hybrids of maize, 341.
Halpine, T. and S. J. Kerr, Mutant allele frequencies in the cat population of Omaha, Nebraska, 460.
Hanna, W. W. and G. W. Burton, Cytogenetics and breeding behavior of an apomictic triploid in bahiagrass, 457.
Hanna, W. W. and H. Shu-Liang, Chromosomal, reproductive, and breeding behavior of *Eremochloa ciliaris* (L) Merr., 52.
Hanna, W. W., et al., Long-term storage of pearl millet pollen, 361.
Hansche, P. E., et al., Genetics of malate dehydrogenase isozymes in the peach, 49.
Harbor, J. R., Sterility in honeybees caused by dimethyl sulfoxide, 129.
Harris, M. J., et al., A new mutation at the *cmd* locus in the mouse, 205.
Harry, D. E., Inheritance and linkage of isozyme variants in incense-cedar, 261.
Hasenkampf, C. A., et al., Characteristics of duplications and deficiencies from chromosome translocations in *Gossypium hirsutum*, 189.
Haskins, M. E., et al., Chromosomal mapping of beta-globin and albino loci in the domestic cat: a conserved mammalian chromosome group, 374.
Hatfield, P. M., et al., Chloroplast DNA variation in the genus *Glycine* subgenus *Soja*, 26.
Hendrix, J. R., et al., The genetic associate: a career option in genetic counseling, 175.
Henny, R. J.: Single locus, multiallelic inheritance of foliar variegation in *Aglaonema*, 214; Inheritance of foliar variegation in *Dieffenbachia maculata*, 'Canille', 285.
Hereditary meningoencephalocele in Burmese cats, D. P. Sponenberg and E. Graf-Webster, 60.
Heritabilities of traits determining resin yield in gumweed, S. P. McLaughlin, 368.
Heterochromatin staining pattern of quail-chicken hybrid lymphocytes, C. L. Greenfield, K. M. Lartin, F. S. Sanders, and R. R. Dietert, 216.
Heywood, J. S., Edaphic races of *Gaillardia pulchella* in central Texas, 146.
Hilburn, L. R., et al., Linkage relationships among 12 enzyme loci in cattle fever ticks of the genus *Boophilus*, 119.
Hollander, W. F. and W. J. Miller, The sex-linked black cat fallacy: a textbook case, 463.
Honěk, A., Inheritance of wing form in *Pyrrhocoris apterus*, 465.
Hudson, R. R., Population genetics text (Rev.), 141.
Hughes, K. W. and R. C. Weigel, In vitro ovule culture of a seedless persimmon, 213.

Human Genetics

Documenting eugenics and human genetics (Rev.), 287.
Eugenics and human heredity (Commentary), 481.
Gene map of the cow: conservation of linkage with mouse and man, 2.
Genetic associate: a career option in genetic counseling, 175.
Precise location of breakpoints in frequent reciprocal translocation between chromosomes, 11 and 22, 63.

Hung, A, C. F. and H. G. Larew, An X-linked phosphoglucomutase locus in the leafmining fly, 209.
Hunziker, J. H. and L. Poggio, Nuclear DNA content variation in *Bulnesia*, 43.

Ihssen, P. E. and R. B. Phillips, Inheritance of Q band chromosomal polymorphisms in lake trout, 93.
Ikehara, S., et al., A mouse model for Niemann-Pick disease: influence of genetic background on disease expression in *spm/spm* mice, 379.
Inheritance and linkage of isozyme variants in incense-cedar, D. E. Harry, 261.
Inheritance of a greenish-yellow corolla mutant in muskmelon, F. W. Zink, 363.
Inheritance of a new bleeding disease in a herd of swine with Willebrand's disease, G. L. Thiele, W. E. Rempel, D. N. Fass, E. J. W. Bowie, M. Stewart, and L. Zoecklein, 179.
Inheritance of dermatoglyphic configurations in the rat, M. Okajima and T. H. Yosida, 169.
Inheritance of foliar variegation in *Dieffenbachia maculata* 'Camille', R. J. Henny, 285.
Inheritance of phosphoglucomutase and esterase isozyme in Persian walnut, S. Arulsekar, G. H. McGranahan, and D. E. Parfitt, 220.
Inheritance of Q band chromosomal polymorphisms in lake trout, R. B. Phillips and P. E. Ihssen, 93.
Inheritance of rudimentary corolla in red clover, N. L. Taylor and L. D. Snead, 371.
Inheritance of wing form in *Pyrrhocoris apterus*, A. Honěk, 465.
Intergeneric wheat × barley hybrid, A. Blanco, G. V. Fracchiolla, and B. Greco, 98.
In vitro ovule culture of a seedless persimmon, R. C. Weigel and K. W. Hughes, 213.
Isozyme polymorphism in the sunflower moth, V. H. Beregovoy and D. S. Gill, 101.
Isozymic diversity in three allotetraploid *Clarkia* species and their putative diploid progenitors, N. L. Smith-Huerta, 349.

Jarret, R. L. and R. E. Litz, Enzyme polymorphism in *Musa acuminata* Colla., 183.
Jelenkovic, G., et al., Aneuploid seedlings derived from pentaploid *Vaccinium australe* × *V. ashei* hybrids, 114.
Johnson, T. R., et al., Chromosome rearrangements in *Tribolium castaneum*, 451.
Jones, C. and D. K. Palmer, Gene mapping in chicken-Chinese hamster somatic cell hybrids: serum albumin and phosphoglucomutase-2 structural genes on chicken chromosome 6, 106.
Juriloff, D. M., et al., A new mutation at the *cmd* locus in the mouse, 205.

Kahler, A. L., et al., Relationships between performance and multilocus heterozygosity at enzyme loci in single-cross hybrids of maize, 341.
Kam-Morgan, L. N. W., et al., Origin of chromosomal and phenotypic variation in potato protoclones, 13.
Kang, M. S., Update on the stability-variance parameter program, 480.
Kenkel, K. M., et al., The genetic associate: a
Kerr, S. J. and T. Halpine, Mutant allele frequencies in the cat population of Omaha, Nebraska, 460.
Kesseli, R. V. and R. W. Michelmore, Genetic variation and phylogenies detected from isozyme markers in species of *Lactuca*, 324.
Kester, D. E., et al., Comparison of isozyme variability in peach and almond cultivars, 272.
Key lecture: On the virtues and pitfalls of the molecular evolutionary clock, F. J. Ayala, 226.
Kiang, Y. T. and Y. C. Chiang, Genetic linkage of a leucine aminopeptidase locus with the Kunitz trypsin inhibitor locus in soybeans, 128.
Kiang, Y.-T., et al., Early identification of chlorophyll deficiency heterozygotes in large-seeded legumes, 475.
Kilen, T. C., A favorable linkage combination in the soybean, 275.
Klein, K., et al., Mutant allele frequencies in cats of Minneapolis-St. Paul, 132.
Kloth, R. H. and R. J. Lebowitz, Genetics of foliar variegation in coleus, 125.
Knudsen, K. L., et al., Gene-centromere mapping of 25 loci in rainbow trout, 307.
Krutzler, J., et al., A new type of Robertsonian translocation in the domestic dog, 127.
Kurtz, M., et al., Abnormal bone production associated with mutant mouse genes *pa* and *we*, 109.

LaChance, L. E., et al., Polytene chromosomes, karyotype correlations, and population cytology of the primary screwworm fly, 427.

Lamb, T., et al., Size polymorphism and heteroplasmy in the mitochondrial DNA of lower vertebrates, 249.
Lamoreux, M. L., Dopachrome conversion and dopa oxidase activities in recessive yellow mice: catalytic activities of extracts from pheomelanic and eumelanic tissues, 337.
Lapitan, N. L. V., et al., Wheat-rye translocations: detection of chromosome breakpoints by in situ hybridization with a biotin-labeled DNA probe, 415.
Larew, H. G. and A. C. F. Hung, An X-linked phosphoglucomutase locus in the leafmining fly, 209.
Lartin, K. M., et al., Heterochromatin staining pattern of quail-chicken hybrid lymphocytes, 216.
Laverde, M. J., et al., Desiccation resistance in two species of *Drosophila*, 359.
Leary, R. F., et al., Gene-centromere mapping of 25 loci in rainbow trout, 307.
Lebowitz, R. J. and R. H. Kloth, Genetics of foliar variegation in coleus, 125.
Lee, J. A., An early example of a viable hybrid from a cross of *Gossypium barbadense* L. and *G. davidsonii* Kell., 56.
Leiper, B. D. and R. Robinson, Linkage of albino and pink-eyed dilution genes in the Mongolian gerbil and other rodents, 207.
Levine, L., et al., Desiccation resistance in two species of *Drosophila*, 359.
Liedl, B. E. and N. O. Anderson, SIGMAS-1: a software program for self-incompatibility genetic modeling, 480.
Light, A.-M., et al., Antennapedia, a homoeotic mutation of *Bracon hebetor*, 58.
Linkage of albino and pink-eyed dilution genes in the Mongolian gerbil and other rodents, B. D. Leiper and R. Robinson, 207.
Linkage of genes for ectopic testes and male pseudohermaphroditism in the rat, L. G. Gumbreck and A. J. Stanley, 57.
Linkage relationships among 12 enzyme loci in cattle fever ticks of the genus *Boophilus*, P. W. Sattler, L. R. Hilburn, and R. B. Davey, 119.
Litz, R. E. and R. L. Jarret, Enzyme polymorphism in *Musa acuminata* Colla, 183.
Long-term storage of pearl millet pollen, W. W. Hanna, G. W. Burton, and W. G. Monson, 361.
Loucas, B. D., et al., Antennapedia, a homoeotic mutation of *Bracon hebetor*, 58.
Luckett, D. C. and A. B. Mukherjee, Embryonic characteristics in superovulated strains: comparative analyses of the incidence of chromosomal aberrations, morphological malformations, and mortality of embryos from two strains of superovulated mice, 39.

Malcolm, C., et al., Breakpoint distribution in male-linked translocations in *Anopheles stephensi* Liston, 394.
Marchi, A. and L. E. Munstermann, Cytogenetic and isozyme profile of *Sabethes cyaneus:* a mosquito of the neotropical canopy, 241.
Martin-Morgan, D., et al., Abnormal bone production associated with mutant mouse genes *pa* and *we*, 109.
Martinson, V. A., Fertility improvement in induced tetraploid *Theobroma cacao*, 279.
Mau-Lastovicka, T., et al., Segregation distortion and linkage analysis of hand pollinated avocados, 445.
Maximum likelihood estimates of gene frequencies in the social Hymenoptera, R. E. Owen, 208.
Mayr, B., et al., A new type of Robertsonian translocation in the domestic dog, 127.
McElroy, A. R. and R. Bhargava, BASIC programs to determine genotypic structure of autopolyploid progeny populations, 479.
McGranahan, G. H., et al., Inheritance of phosphoglucomutase and esterase isozyme in Persian walnut, 220.
McGuire, P. E., Suppression of meiotic ring univalents in hybrids and haploids of *Triticum aestivum* L. by chromosome arm 7Bp, 222.
McLaughlin, S. P., Heritabilities of traits determining resin yield in gumweed, 368.
McLeod, M. J., et al., Genetics of GOT in *Capsicum*, 469.
Mehra, R. C., et al., N banding and karyotype analysis of *Lens culinaris*, 473.
Menzel, M. Y., et al., Characteristics of duplications and deficiencies from chromosome translocations in *Gossypium hirsutum*, 189; Duplicate pollen-sterile locus ms_8 and linkage group V of *Gossypium hirsutum*, 332.
Mertens, T. R., et al., The genetic associate: a career option in genetic counseling, 175.
Meyer, J., et al., Abnormal bone production associated with mutant mouse genes *pa* and *we*, 109.
Michelmore, R. W. and R. V. Kesseli, Genetic variation and phylogenies detected from isozyme markers in species of *Lactuca*, 324.
Miller, W. J. and W. F. Hollander, The sex-linked black cat fallacy: a textbook case, 463.
Mitsuoka, S., et al., A mouse model for Niemann-Pick disease: influence of genetic background on disease expression in *spm/spm* mice, 379.
Miyawaki, S., et al., A mouse model for Niemann-Pick disease: influence of genetic background on disease expression in *spm/spm* mice, 379.
Modern cytogenetics, G. Thorgaard (Rev.), 140.
Modern medical genetics, A. G. Motulsky (Rev.), 139.
Molecular identification of the D-genome chromosomes of wheat, A. L. Rayburn and B. S. Gill, 253.
Moll, Y. D. and J. E. Womack, Gene map of the cow: conservation of linkage with mouse and man, 2.
Monaghan, F. and A. Corcos: Chi-square and Mendel's experiment, where is the bias? Correction, 283; Tschermak: a nondiscoverer of Mendelism: I. An historical note, 468.
Monson, W. G., et al., Long-term storage of pearl millet pollen, 361.
Moore, B. C. and C. E. Taylor, *Drosophila* of Southern California: III. Gene arrangements of *D. persimilis*, 313.
More on the too-good-to-be-true paradox and Gregor Mendel, A. W. F. Edwards, 138.
More on the too-good-to-be-true paradox and Gregor Mendel, Rebuttal, I. Pilgrim, 138.
Motulsky, A. G., Modern medical genetics (Rev.), 139.
Mouse model for Niemann-Pick disease: influence of genetic background on disease expression in *spm/spm* mice, S. Miyawaki, H. Yoshida, S. Mitsuoka, H. Enomoto, and S. Ikehara, 379.
Mukherjee, A. B. and D. C. Luckett, Embryonic characteristics in superovulated strains: comparative analyses of the incidence of chromosomal aberrations, morphological malformations, and mortality of embryos from two strains of superovulated mice, 39.
Munstermann, L. E. and A. Marchi, Cytogenetic and isozyme profile of *Sabethes cyaneus:* a mosquito of the neotropical canopy, 241.
Mutant allele frequencies in cats of Minneapolis-St. Paul, K. Klein, L. Wong, J. Olson, and S. Amundson, 132.
Mutant allele frequencies in domestic cats of Taiwan, K. Chu, 277.
Mutant allele frequencies in the cat population of Omaha, Nebraska, T. Halpine, and S. J. Kerr, 460.

Nanis, S. M., et al., Chromosome rearrangements in *Tribolium castaneum*, 451.
Nanney, D. L., Eugenics and human heredity (Commentary), 481.
Nash, W. G., et al., Chromosomal mapping of beta-globin and albino loci in the domestic cat: a conserved mammalian chromosome group, 374.
N banding and karyotype analysis of *Lens culinaris*, R. C. Mehra, M. G. Butler, and T. Beckman, 473.
Nerson, H. and H. S. Paris, Genes for intense fruit pigmentation of squash, 403.
New C-band polymorphism in the White Park cattle of Great Britain, N. J. Royle, 366.
New mutation at the *cmd* locus in the mouse, L. Bell, D. M. Juriloff, and M. J. Harris, 205.
New type of Robertsonian translocation in the domestic dog, B. Mayr, J. Krutzler, W. Schleger, and H. Auer, 127.
Nigam, R. B., et al., Precise location of breakpoints in a frequent reciprocal translocation between chromosomes 11 and 22, 63.
Nuclear DNA content variation in *Bulnesia*, L. Poggio and J. H. Hunziker, 43.

O'Brien, S. J., et al., Chromosomal mapping of beta-globin and albino loci in the domestic cat: a conserved mammalian chromosome group, 374.
Okajima, M. and T. H. Yosida, Inheritance of dermatoglyphic configurations in the rat, 169.
Olson, J., et al., Mutant allele frequencies in cats of Minneapolis-St. Paul, 132.
On the virtues and pitfalls of the molecular evolutionary clock, F. J. Ayala, 226.
Origin of chromosomal and phenotypic variation in potato protoclones, B. S. Gill, L. N. W. Kam-Morgan, and J. F. Shepard, 13.
Owen, R. E., Maximum likelihood estimates of gene frequencies in the social Hymenoptera, 208.

Palmer, D. K. and C. Jones, Gene mapping in chicken-Chinese hamster somatic cell hybrids: serum albumin and phosphoglucomutase-2 structural genes on chicken chromosome 6, 106.
Palmer, R. G., et al., Chloroplast DNA variation in the genus *Glycine* subgenus *Soja*, 26.
Parfitt, D. E., et al.: Genetics of malate dehydrogenase isozymes in the peach, 49; Inheritance of phosphoglucomutase and esterase isozyme in Persian walnut, 220; Comparison of isozyme variability in peach and almond cultivars, 272.
Paris, H. S. and H. Nerson, Genes for intense fruit pigmentation of squash, 403.
Parrott, W. A. and R. R. Smith, Description and inheritance of new genes in red clover, 355.

Pashley, D. P. and D. W. Foltz, Estimating the degree of sperm precedence in laboratory mating experiments: a maximum likelihood method, 477.
Patterson, D. F., et al., Chromosomal mapping of beta-globin and albino loci in the domestic cat: a conserved mammalian chromosome group, 374.
Petters, R. M., et al., Antennapedia, a homoeotic mutation of *Bracon hebetor*, 58.
Phillips, R. B. and P. E. Ihssen, Inheritance of Q band chromosomal polymorphisms in lake trout, 93.
Pilgrim, I.: More on the too-good-to-be-true paradox and Gregor Mendel, Rebuttal, 138; A solution to the too-good-to-be true paradox and Gregor Mendel, 218.

Plant Genetics

Aglaonema: single locus, multiallelic inheritance of foliar variegation, 214.
Antirrhinum majus L.: germinal reversion in three variegated-leaf mutants, 236.
Avocados: segregation distortion and linkage analysis of hand pollination, 445.
Bahiagrass: cytogenetics and breeding behavior of an apomictic triploid, 457.
Barley: intergeneric wheat × barley hybrid, 98.
Bulnesia: nuclear DNA content variation, 43.
Calotis cuneifolia: genetics of self-incompatibility, 471.
Capsicum: genetics of GOT in chili peppers, 469.
Chickpeas: early identification of chlorophyll deficiency heterozygotes in large-seeded legumes, 475.
Clarkia: isozymic diversity in three allotetraploid species and their putative diploid progenitors, 349.
Coleus: genetics of foliar variegation, 125.
Cotton: an early example of a viable hybrid from a cross of *Gossypium barbadense* L. and *G. davidsonii* Kell., 56; characteristics of duplications and deficiencies from chromosome translocations in *G. hirsutum*, 189; duplicate pollen-sterile locus ms_8 and linkage group V of *G. hirsutum*, 332; round leaf-3 mutant in American Pima, 364.
Cowpeas: early identification of chlorophyll deficiency heterozygotes in large-seeded legumes, 475.
Cynosurus cristatus: allozyme variation, linkage, and duplication in perennial grass, 61.
Dieffenbachia maculata: inheritance of foliar variegation in 'Camille', 285.
Eremochloa ciliaris (L) Merr.: chromosomal, reproductive, and breeding behavior, 52.
Gaillardia pulchella: edaphic races in central Texas, 146.
Glycine argyrea: cytogenetic affinity between the new species and its congeners, 423.
Gumweed: heritabilities of traits determining resin yield variation, 368.
Incense-cedar: inheritance and linkage of isozyme variants, 261.
Lactuca: genetic analyses and phylogenies detected from isozyme markers in species, 324.
Lens culinaris: N banding and karyotype analysis, 473.
Maize: developmental profiles of embryo-lethal mutants *dek22* and *dek23*, 83; relationships between performance and multilocus heterozygosity at enzyme loci in single-cross hybrids, 341; unstable expression of an *R* allele with *a3*: a recessive intensifier of plant color, 389.
Medicago sativa: transmission of chlorophyll deficiencies: evidence for biparental inheritance of plastids, 35.
Musa acuminata Colla.: enzyme polymorphism, 183.
Muskmelon: inheritance of a greenish-yellow corolla mutant, 363.
Nicotiana: cross-restoration between cytoplasmic male-sterile and restored lines, 159; antimorphic alleles with various trengths at the *Su* and *Yg* loci of tobacco: marker genes used separately in plant physiology and radiation genetics are different semidominant forms at the same loci, 301.
Pearl millet: long-term storage of pollen, 361.
Persimmon: in vitro ovule culture of a seedless, 213.
Potato: origin of chromosomal and phenotypic variation in protoclones, 13.
Prunus: genetics of malate dehydrogenase isozymes in the peach, 49; comparison of isozyme variability in peach and almond cultivars, 272.
Red clover: description and inheritance of new genes, 355; inheritance of rudimentary corolla, 371.
Soybean: chloroplast DNA variation in genus *Glycine* subgenus *Soja*, 26; genetic linkage of a leucine aminopeptidase locus with the Kunitz trypsin inhibitor locus, 128; favorable linkage combination, 275; early identification of chlorophyll deficiency heterozygotes in large-seeded legumes, 475.
Squash: genes for intense fruit pigmentation, 403.
Theobroma cacao: fertility improvement in induced tetraploid, 279.
Vaccinium: aneuploid seedlings derived from pentaploid *V. australe* × *V. ashei* hybrids, 114.
Walnut: inheritance of phosphoglucomutase and esterase isozyme in Persian, 220.
Watermelon: gene affecting foliage color, 134.
Wheat: intergeneric wheat × barley hybrid, 98; suppression of meiotic ring univalents in hybrids and haploids of *Triticum aestivum* L. by chromosome arm 7Bp, 222; molecular identification of the D-genome chromosomes, 253; wheat-rye translocations: detection of chromosome breakpoints by in situ hybridization with a biotin-labeled DNA probe, 415.

Poggio, L. and J. H. Hunziker, Nuclear DNA content variation in *Bulnesia*, 43.
Polytene chromosomes, karyotype correlations, and population cytology of the primary screwworm fly, V. Dev, L. E. LaChance, and C. J. Whitten, 427.
Pop-eye: an inherited Z-linked keratoglobus in the chicken, J. J. Bitgood and R. D. Whitley, 123.
Population dynamics of mutant alleles under maternal effect in plant populations, S. Yokoyama and B. A. Schaal, 256.
Population genetics text, R. R. Hudson (Rev.), 141.
Precise location of breakpoints in a frequent reciprocal translocation between chromosomes 11 and 22, K. A. Babu, R. S. Verma, R. B. Nigam, and S. N. Alsheikh, 63.
Prenatal determination of obesity, tumor susceptibility, and coat color pattern in viable yellow (A^{vy}/a) mice: the yellow mouse syndrome, G. L. Wolff, D. W. Roberts, and D. B. Galbraith, 151.
Price, S. C., et al., Relationships between performance and multilocus heterozygosity at enzyme loci in single-cross hybrids of maize, 341.
Pullen, R., et al., Cytogenetic affinity between the new species *Glycine argyrea* and its congeners, 423.

Quantitative wing variation in inbred and outbred lines of *Drosphila melanogaster*, J. W. Curtsinger, 267.
Qureshi, M. A., et al., Chicken developmental antigens in $15I_5$-*B*-cogenic lines, 435.

Rayburn, A. L. and B. S. Gill, Molecular identification of the D-genome chromosomes of wheat, 253.
Rayburn, A. L., et al., Wheat-rye translocations: detection of chromosome breakpoints by in situ hybridization with a biotin-labeled DNA probe, 415.
Reed, S. M. and J. A. Burns, Cross-restoration between *Nicotiana* cytoplasmic male-sterile and restored lines, 159.
Relationships between performance and multilocus heterozygosity at enzyme loci in single-cross hybrids of maize, S. C. Price, A. L. Kahler, A. R. Hallauer, P. Charmley, and D. A. Giegel, 341.
Rempel, W. E., et al., Inheritance of a new bleeding disease in a herd of swine with Willebrand's disease, 179.
Rhodes, B. B., Genes affecting foliage color in watermelon, 134.
Rhyne, C. L., et al., Duplicate pollen-sterile locus ms_8 and linkage group V of *Gossypium hirsutum*, 332.
Rhyne, D. M., et al., Duplicate pollen-sterile locus ms_8 and linkage group V of *Gossypium hirsutum*, 332.
Richmond, K. L., et al., Chracteristics of duplications and deficiencies from chromosome translocations in *Gossypium hirsutum*, 189.
Roberts, D. W., et al., Prenatal determination of obesity, tumor susceptibility, and coat color pattern in viable yellow (A^{vy}/a) mice: the yellow mouse syndrome, 151.
Robinson, A. S., et al., Breakpoint distribution in male-linked translocations in *Anopheles stephensi* Liston, 394.
Robinson, R. and B. D. Leiper, Linkage of albino and pink-eyed dilution genes in the Mongolian gerbil and other rodents, 207.
Rockwell, R. F., et al., Desiccation resistance in two species of *Drosophila*, 359.
Round leaf-3 mutant in American Pima cotton, E. L. Turcotte, 364.
Roush, R. T., et al., Chromosomal analysis of insecticide resistant and susceptible mosquitofish, 345.
Royle, N. J., New C-band polymorphism in the White Park cattle of Great Britain, 366.
Rumo, G., et al., Selective breeding for variations in patterns of mystacial vibrissae of mice: bilat-

erally symmetrical strains derived from ICR stock, 66.
Ruvinsky, A. and P. Borodin, Dimitri Konstantinovitch Belyaev: 1917–1985, 370.

Sampling variance of the genetic diversity index, Q. Zhang and R. W. Allard, 54.
Sánchez, E. R. and R. P. Erickson, Wild-derived Robertsonian translocation in mice: chromosome 17, *Rb(16:17)7*, show novel interactions with *t*-alleles, 290.
Sanders, F. S., et al., Heterochromatin staining pattern of quail-chicken hybrid lymphocytes, 216.
Sassaman, C. A. and M. A. Simovich, Four independent electrophoretic markers in spadefoot toads, 410.
Sattler, P. W., et al., Linkage relationships among 12 enzyme loci in cattle fever ticks of the genus *Boophilus*, 119.
Saul, 2nd, G. B. and G. W. Conner, Acquisition of incompatibility of inbred wild-type stocks of *Mormoniella*, 211.
Schaal, B. A. and S. Yokoyama, Population dynamics of mutant alleles under maternal effect in plant populations, 256.
Schelling, G., et al., Breakpoint distribution in male-linked translocations in *Anopheles stephensi* Liston, 394.
Schleger, W., et al., A new type of Robertsonian translocation in the domestic dog, 127.
Searle, J. B., A trimeric esterase in the common shrew, 121.
Sears, R. G., et al., Wheat-rye translocations: detection of chromosomes breakpoints by in situ hybridization with a biotin-labeled DNA probe, 415.
Sedgley, M., et al., Segregation distortion and linkage analysis of hand pollinated avocados, 445.
Seeb, J. E. and L. W. Seeb, Gene mapping of isozyme loci in chum salmon, 399.
Seeb, J. E., et al., Gene-centromere mapping of 25 loci in rainbow trout, 307.
Seeb, L. W. and J. E. Seeb, Gene mapping of isozyme loci in chum salmon, 399.
Segregation distortion and linkage analysis of hand pollinated avocados, A. M. Torres, T. Mau-Lastovicka, V. Vithanage, and M. Sedgley, 445.
Selective breeding for variations in patterns of mystacial vibrissae of mice: bilaterally symmetrical strains derived from ICR stock, H. Van der Loos, E. Welker, J. Dörfl, and G. Rumo, 66.
Serikawa, T. and J. Yamada, Epileptic seizures in rats homozygous for two mutations, zitter and tremor, 441.
Sex-linked black cat fallacy: a textbook case, W. J. Miller and W. F. Hollander, 463.
Shepard, J. F., et al., Origin of chromosomal and phenotypic variation in potato protoclones, 13.
Sheridan, W. F. and J. K. Clark, Developmental profiles of the maize embryo-lethal mutants *dek22* and *dek23*, 83.
Shoemaker, R. C., et al., Chloroplast DNA variation in the genus *Glycine* subgenus *Soja*, 26.
Shu-Liang, H. and W. W. Hanna, Chromosomal, reproductive, and breeding behavior of *Eremochloa ciliaris* (L) Merr., 52.
SIGMAS-1: a software program for self-incompatibility genetic modeling, B. E. Liedl and N. O. Anderson, 480.
Silver, L. M., Software package for record-keeping and analysis of a breeding mouse colony, 479.
Silversides, F. G. and J. R. Smyth, Jr., Faded shaker, a lethal pigment and neurological mutation in the chicken, 295.
Simmons, D., et al., Abnormal bone production associated with mutatn mouse genes *pa* and *we*, 109.
Simovich, M. A. and C. A. Sassaman, Four independent electrophoretic markers in spadefoot toads, 410.
Single gene inheritance of occurrence of head spots in mice, J. Wildman and D. P. Doolittle, 136.
Single locus, multiallelic inheritance of foliar variegation in *Aglaonema*, R. J. Henny, 214.
Size polymorphism and heteroplasmy in the mitochondrial DNA of lower vertebrates, E. Bermingham, T. Lamb, and J. C. Avise, 249.
Skibinski, D. O. F., Study of lethals in selection lines in *Drosophila melanogaster*, 31.
Smith-Huerta, N. L., isozymic diversity in three allotetraploid *Clarkia* species and their putative diploid progenitors, 349.
Smith, R. R. and W. A. Parrott, Description and inheritance of new genes in red clover, 355.
Smith, S. E., et al., Transmission of chlorophyll deficiencies in *Medicago sativa:* evidence for biparental inheritance of plastids, 35.
Smyth, Jr., J. R. and F. G. Silversides, Faded shaker, a lethal pigment and neurological mutation in the chicken, 295.
Snead, L. D. and N. L. Taylor, Inheritance of rudimentary corolla in red clover, 371.
Software package for record keeping and analysis of a breeding mouse colony, L. M. Silver, 479.
Solution to the too-good-to-be-true paradox and Gregor Mendel, I. Pilgrim, 218.
Sponenberg, D. P. and E. Graf-Webster, Hereditary meningoencephalocele in Burmese cats, 60.
Spontaneous occurrence of XYY primary spermatocytes in the Sitka deer mouse, D. W. Hale and I. F. Greenbaum, 131.
Stace, H. M. and J. K. Davidson, Genetics of self-incompatibility in *Calotis cuneifolia*, 471.
Stanley, A. J. and L. G. Gumbreck, Linkage of genes for ectopic testes and male pseudohermaphroditism in the rat, 57.
Sterility in honeybees caused by dimethyl sulfoxide, J. R. Harbor, 129.
Stewart, M., et al., Inheritance of a new bleeding disease in a herd of swine with Willebrand's disease, 179.
Study of lethals in selection lines in *Drosophila melanogaster*, D. O. F. Skibinski, 31.
Styles, E. D. and E. H. Coe, Jr., Unstable expression of an *R* allele with *a3*: a recessive intensifier of plant color in maize, 389.
Suppression of meiotic ring univalents in hybrids and haploids of *Triticum aestivum* L. by chromosome arm 7Bp, P. E. McGuire, 222.

Taylor, C. E. and B. C. Moore, *Drosophila* of Southern California: III. Gene arrangements of *D. persimilis*, 313.
Taylor, D. B. and E. M. Cuevas, Genetics of the screwworm fly: characterization of three eye mutants, 420.
Taylor, N. L. and L. D. Snead, Inheritance of rudimentary corolla in red clover, 371.
Thiele, G. L., et al., Inheritance of a new bleeding disease in a herd of swine with Willebrand's disease, 179.
Thompson, V., Half-chromosome viability and synthetic lethality in *Drosophila melanogaster*, 385.
Thorgaard, G. H., et al., Gene-centromere mapping of 25 loci in rainbow trout, 307.
Thorgaard, G., Modern cytogenetics (Rev.), 140.
Tilney-Bassett, R. A. E. and R. A. H. Delool, Germinal reversion in three variegated-leaf mutants of *Antirrhinum majus* L., 236.
Torres, A. M., et al., Segregation distortion and linkage analysis of hand pollinated avocados, 445.
Transmission of chlorophyll deficiencies in *Medicago sativa:* evidence for biparental inheritance of plastids, S. E. Smith, E. T. Bingham, and R. W. Fulton, 35.
Trembicki, K. A., et al., Chicken developmental antigens in $15I_5$-*B*-cogenic lines, 435.
Trimeric esterase in the common shrew, J. B. Searle, 121.
Tschermak: a nondiscoverer of Mendelism: I. An historical note, F. Monaghan and A. Corcos, 468.
Turcotte, E. L., Round leaf-3 mutant in American Pima cotton, 364.

Unstable expression of an *R* allele with *a3* in maize: a recessive intensifier of plant color, E. D. Styles and E. H. Coe, Jr., 389.
Update on the stability variance parameter program, M. S. Kang, 480.

Van der Loos, H., et al., Selective breeding for variations in patterns of mystacial vibrissae of mice: bilaterally symmetrical strains derived from ICR stock, 66.
Verma, R. S., et al., Precise location of breakpoints in a frequent reciprocal translocation between chromosomes 11 and 22, 63.
Vithanage, V., et al., Segregation distortion and linkage analysis of hand pollinated avocados, 445.
Vorsa, N., et al., Aneuploid seedlings derived from pentaploid *Vaccinium australe* × *V. ashei* hybrids, 114.

Weigel, R. C. and K. W. Hughes, In vitro ovule culture of a seedless persimmon, 213.
Weiling, F., What about R. A. Fisher's statement of the "too good" data of J. G. Mendel's Pisum paper?, 281.
Welker, E., et al., Selective breeding for variations in patterns of mystacial vibrissae of mice: bilaterally symmetrical strains derived from ICR stock, 66.
Welker, W. V., et al., Aneuploid seedlings derived from pentaploid *Vaccinium australe* × *V. ashei* hybrids, 114.
What about R. A. Fisher's statement of the "too good" data of J. G. Mendel's Pisum paper?, F. Weiling, 281.
Wheat-rye translocations: detection of chromosome breakpoints by in situ hybridization with a biotin-labeled DNA probe, N. L. V. Lapitan, R. G. Sears, A. L. Rayburn, and B. S. Gill, 415.
Whitley, R. D. and J. J. Bitgood, Pop-eye: an inherited Z-linked keratoglobus in the chicken, 123.

Whitten, C. J., et al., Polytene chromosomes karyotyp correlations, and population cytology of the primary screwworm fly, 427.
Wild-derived Robertsonian translocation in mice: chromosome 17, *Rb(16:17)7*, show novel interactions with *t*-alleles, E. R. Sánchez and R. P. Erickson, 290.
Wildman, J. and D. P. Doolittle, Single gene inheritance of occurrence of head spots in mice, 136.
Winkler, C. A., et al., Chromosomal mapping of beta-globin and albino loci in the domestic cat: a conserved mammalian chromosome group, 374.
Wise, D., et al., Chromosomal analysis of insecticide resistant and susceptible mosquitofish, 345.
Wolff, G. L., et al., Prenatal determination of obesity, tumor susceptibility, and coat color pattern in viable yellow (A^{vy}/a) mice: the yellow mouse syndrome, 151.
Womack, J. E. and Y. D. Moll, Gene map of the cow: conservation of linkage with mouse and man, 2.
Wong, L., et al., Mutant allele frequencies in cats of Minneapolis-St. Paul, 132.

X-linked phosphoglucomutase locus in the leafmining fly, A. C. F. Hung and H. G. Larew, 209.

Yamada, J. and T. Serikawa, Epileptic seizures in rats homozygous for two mutations, zitter and tremor, 441.
Yarbrough, J. D., et al., Chromosomal analysis of insecticide resistant and susceptible mosquitofish, 345.
Yokoyama, S. and B. A. Schaal, Population dynamics of mutant alleles under maternal effect in plant populations, 256.
Yoshida, H., et al., A mouse model for Niemann-Pick disease: influence of genetic background on disease expression in *spm/spm* mice, 379.
Yosida, T. H. and M. Okajima, Inheritance of dermatoglyphic configurations in the rat, 169.

Zhang, Q. and R. W. Allard, Sampling variance of the genetic diversity index, 54.
Zink, F. W., Inheritance of a greenish-yellow corolla mutant in muskmelon, 363.
Zoecklein, L., et al., Inheritance of a new bleeding disease in a herd of swine with Willebrand's disease, 179.